SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

Hyloflex MS40, MS60

of the mixture

Registration number

Synonyms None.
SDS number 55

Issue date 20-August-2015

Version number 01
Revision date Supersedes date -

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesFlexible adhesive based on MS Polymer technology.Uses advised againstUse in accordance with supplier's recommendations.

1.3. Details of the supplier of the safety data sheet

MANUFACTURER: Hylomar Ltd.

Address: Hylo House, Cale Lane, New Springs,

Wigan, Greater Manchester,

UK, WN2 1JT

Telephone number: +44(0)1942 617000

E-mail address: info@hylomar.co.uk

Contact person: Technical Department

1.4. Emergency telephone +1-760-476-3961 (US)

number

Access code: 333544

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary

Not classified for health hazards. However, occupational exposure to the mixture or substance(s)

may cause adverse health effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word None.

Hazard statements None.

Precautionary statements

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Supplemental label information None.

2.3. Other hazards Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hyloflex MS40, MS60 SDS UK

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Trimethoxyvinylsilane	1-5	2768-02-7 220-449-8	-	-	
Classification:	Flam. Liq. 3;H226, Acu	te Tox. 4;H332			

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. The full text for all H-statements is displayed in Section 16.

SECTION 4: First aid measures

General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

4.1. Description of first aid measures

Inhalation

Ingestion

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

Skin contact

Wash off with soap and water. If skin irritation occurs: Get medical advice/attention.

Eye contact

Rinse with plenty of water. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.

Rinse mouth. Drink a few glasses of water or milk. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Direct contact with eyes may cause temporary irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards The product is not flammable.

5.1. Extinguishing media

Suitable extinguishing

Water spray, foam, dry powder or carbon dioxide.

media Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

By heating and fire, toxic vapours/gases may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in

the workplace.

Special fire fighting procedures

Use standard firefighting procedures and consider the hazards of other involved materials. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Prevent runoff from fire control or dilution from entering streams, sewers or drinking water supply.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid inhalation of vapours and contact with skin and eyes. In case of spills, beware of slippery

floors and surfaces.

For emergency responders

Keep unnecessary personnel away. Wear protective clothing as described in Section 8 of this

safety data sheet.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not discharge into drains, water courses or

onto the ground.

6.3. Methods and material for containment and cleaning up Scrape up the spilled material. Transfer to a container for disposal. Following product recovery, flush area with water.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see Section 8 of the SDS. For waste disposal, see Section 13 of the SDS.

Hyloflex MS40, MS60 SDS UK 2/6

929756 Version #: 01 Revision date: -Issue date: 20-August-2015

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid inhalation of vapours and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Wash thoroughly after handling. Wash contaminated

clothing before reuse. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

Keep away from heat, spark, open flames and other sources of ignition. Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials.

Flexible adhesive based on MS Polymer technology.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No exposure limits noted for ingredient(s). Occupational exposure limits

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no-effect level (DNEL) Not available.

Predicted no effect

concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering

controls

Provide adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Individual protection measures, such as personal protective equipment

General information Personal protective equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eye/face protection

Risk of contact: Wear approved safety glasses or goggles.

Skin protection

- Hand protection Wear protective gloves. Nitrile gloves are recommended. Suitable gloves can be recommended by

the glove supplier.

Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection Under normal conditions, respirator is not normally required. In case of inadequate ventilation: It is

recommended to use respiratory equipment with combination filter, type A2/P2.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Viscous liquid.

Physical state Liquid. **Form** Paste. Colour MS40: Clear.

MS60: Black, White, Grey.

Odour Mild.

Odour threshold Not available Not available. Melting point/freezing point Not available. Not available. Initial boiling point and boiling

range

Flash point > 227.0 °C (> 440.6 °F) Closed cup

Evaporation rate Moderate. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Hyloflex MS40, MS60 SDS UK

929756 Version #: 01 Revision date: -Issue date: 20-August-2015 Flammability limit - upper

(%)

Not available.

Not available. Vapour pressure Vapour density Not available. 1.05 (Water = 1) Relative density 25 °C (77 °F) Relative density temperature Solubility(ies) Insoluble in water.

Partition coefficient

No data available.

(n-octanol/water)

Auto-ignition temperature Not available. Not available. **Decomposition temperature** Not relevant. **Viscosity Explosive properties** Not explosive. **Oxidizing properties** Not oxidising.

9.2. Other information

Solubility (other) Soluble in most organic solvents.

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

Carbon monoxide. Carbon dioxide. Silicon oxides. 10.6. Hazardous

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

No adverse effects due to inhalation are expected. Inhalation Skin contact Prolonged exposure may cause skin irritation. Eye contact May cause eye irritation on direct contact. Ingestion Ingestion may cause irritation and malaise.

Symptoms Direct contact with eyes may cause temporary irritation.

11.1. Information on toxicological effects

May cause discomfort if swallowed. **Acute toxicity**

Skin corrosion/irritation Prolonged exposure may cause skin irritation. Serious eye damage/eye May cause eye irritation on direct contact.

irritation

Respiratory sensitisation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Aspiration hazard

Mixture versus substance

information

Not applicable.

Other information No other specific acute or chronic health impact noted.

Hyloflex MS40, MS60 SDS UK

SECTION 12: Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the 12.1. Toxicity

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and

degradability

The product is not expected to bioaccumulate.

Partition coefficient No data available.

n-octanol/water (log Kow)

12.3. Bioaccumulative potential

No data available.

Not available. **Bioconcentration factor (BCF)** 12.4. Mobility in soil No data available.

The product is insoluble in water. Mobility in general

12.5. Results of PBT

and vPvB assessment Not a PBT or vPvB substance or mixture.

None known. 12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

EU waste code

08 04 10

The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information

Do not discharge into drains, water courses or onto the ground. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance

with local/regional/national/international regulations.

SECTION 14: Transport information

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

ADN

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not applicable.

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Hyloflex MS40, MS60 SDS UK

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances

Not listed

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Not listed.

Directive 94/33/EC on the protection of young people at work

Not listed.

Other regulations The product does not need to be labelled in accordance with EC directives or respective national

laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations 15.2. Chemical safety Follow national regulation for work with chemical agents. No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations

DNEL: Derived No-Effect Level.

PBT: Persistent, bioaccumulative and toxic. PNEC: Predicted No-Effect Concentration. vPvB: Very Persistent and very Bioaccumulative.

References HSDB® - Hazardous Substances Data Bank

Registry of Toxic Effects of Chemical Substances (RTECS) ESIS (European chemical Substances Information System)

Information on evaluation method leading to the classification of mixture

The mixture is classified based on test data for physical hazards. The classification for health and

environmental hazards is derived by a combination of calculation methods and test data, if available. For details, refer to Sections 9, 11 and 12.

Full text of any H-statements not written out in full under

Sections 2 to 15

H226 Flammable liquid and vapour.

H332 Harmful if inhaled.

Training information Follow training instructions when handling this material.

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available.

Hyloflex MS40, MS60 SDS UK