



SAFETY DATA SHEET

1. Identification

Product identifier Hylomar / Hylosil 100 Series: 101 Ivory, 101 Grey, 102 Black, 103 Translucent, 106 Ivory

Other means of identification

SDS number 18

Recommended use Automotive Amine curing RTV silicone sealant.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer: Hylomar Ltd.

Address: Hylo House, Cale Lane, New Springs,
Wigan, Greater Manchester,
UK, WN2 1JT

Telephone number: +44(0)1942 617000

E-mail address: info@hylomar.co.uk

Contact person: Technical Department

Emergency telephone: 1.866.519.4752 (USA, Canada, Mexico)
1-760-476-3962
Access code: 333544

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 1

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes skin irritation. Causes serious eye damage.

Precautionary statement

Prevention Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC) In high concentrations, vapors may irritate throat and respiratory system and cause coughing.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
N,N',N''-Tricyclohexyl-1-methyl silanetriamine	15901-40-3	1 - 5
Carbon black	1333-86-4	1 - 2

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move into fresh air and keep at rest. If not breathing, give artificial respiration or give oxygen by trained personnel. Get medical attention if any discomfort continues.

Skin contact Take off immediately all contaminated clothing. Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.

Eye contact Immediately flush with plenty of water. Remove any contact lenses and open eyelids wide apart. Call an ambulance and continue flushing during transportation to hospital taking along these instructions.

Ingestion Rinse mouth thoroughly. Drink a few glasses of water or milk. Get medical attention if any discomfort continues.

Most important symptoms/effects, acute and delayed Skin irritation. May cause redness and pain. Extreme irritation of eyes and mucous membranes, including burning and tearing. In high concentrations, vapors may be irritating to the respiratory system.

Indication of immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical By heating and fire, toxic vapors/gases may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

Fire fighting equipment/instructions Cool containers exposed to heat with water spray and remove container, if no risk is involved. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

General fire hazards The product is not flammable.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep upwind. Ventilate closed spaces before entering. Avoid inhalation of vapors/spray and contact with skin and eyes. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unnecessary personnel away. Wear protective clothing as described in Section 8 of this SDS.

Methods and materials for containment and cleaning up Ventilate the area. In case of spills, beware of slippery floors and surfaces. Wipe up with absorbent material (e.g. cloth, fleece). Transfer to a container for disposal. Following product recovery, flush area with water. For waste disposal, see Section 13 of the SDS.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Keep away from sources of ignition - No smoking. Wear protective clothing as described in Section 8 of this safety data sheet. Use only outdoors or in a well-ventilated area. Avoid inhalation of vapors/mist and contact with skin and eyes. Avoid prolonged exposure. Wash thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, spark, open flames and other sources of ignition. Store away from incompatible materials. Store locked up. Protect from moisture.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Carbon black (CAS 1333-86-4)	PEL	3.5 mg/m3

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m3	Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m3

Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	Follow standard monitoring procedures.
Appropriate engineering controls	Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors. Provide adequate ventilation. The listed ingredients in section 3 and 8 are encapsulated within the silicone matrix, therefore no exposure to these materials is expected during normal use/handling of this product. The exposure limits listed are provided for safety reasons. Under the effect of humidity, water and protoic agents a small quantity of Cyclohexylamine will be released.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Wear protective gloves. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended by the glove supplier.
Other	Normal work clothing (long sleeved shirts and long pants) is recommended.
Respiratory protection	Not normally needed. In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA 29 CFR 1910.134.
Thermal hazards	Not applicable.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	Paste.
Physical state	Liquid.
Form	Paste.
Color	101 Ivory: Ivory. 101 Gray: Gray. 102 Black : Black. 103 Translucent : Colorless. 106 Ivory: Ivory.
Odor	Characteristic. Amine.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not applicable.
Initial boiling point and boiling range	Not applicable.
Flash point	392.0 °F (200.0 °C)

Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1.15 (25 °C) (Water = 1)
Solubility(ies)	
Solubility (water)	Insoluble in water.
Partition coefficient (n-octanol/water)	No data available.
Auto-ignition temperature	824 °F (440 °C)
Decomposition temperature	Not available.
Viscosity	Not applicable.
Other information	
Explosive limit	Not available.
Explosive properties	Not available.
Oxidizing properties	Not available.
VOC (Weight %)	0 % (Hylomar Test Method 1.1A Determination of Volatile Matter)

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	None known.
Hazardous decomposition products	Under the effect of humidity, water and protoic agents a small quantity of Cyclohexylamine will be released. At a temperature of approx 150°C a small amount of formaldehyde can be released by oxidative degradation.

11. Toxicological information

Information on likely routes of exposure

Inhalation	In high concentrations, vapors may irritate throat and respiratory system and cause coughing.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye damage.
Ingestion	Ingestion may cause irritation and malaise.

Symptoms related to the physical, chemical and toxicological characteristics Skin irritation. May cause redness and pain. Extreme irritation of eyes and mucous membranes, including burning and tearing. In high concentrations, vapors may be irritating to the respiratory system.

Information on toxicological effects

Acute toxicity	Ingestion may cause irritation and malaise.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory or skin sensitization	
Respiratory sensitization	No data available.
Skin sensitization	No data available.

Germ cell mutagenicity	No data available.
Carcinogenicity	Inhalation of carbon black dust may cause cancer, however due to the physical form of the product, inhalation of dust is not likely.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity	No data available.
Specific target organ toxicity - single exposure	No data available.
Specific target organ toxicity - repeated exposure	No data available.
Aspiration hazard	No data available.
Chronic effects	None known.
Further information	No other specific acute or chronic health impact noted.

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	The product is not readily biodegradable.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Mobility in general	The product is insoluble in water.
Other adverse effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. Disposal considerations

Disposal instructions	Do not discharge into drains, water courses or onto the ground. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose of in accordance with local regulations.
Hazardous waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Do not discharge into rivers, lakes, mountains, etc. because the product may affect the environment.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT	Not regulated as dangerous goods.
IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

15. Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)	Not regulated.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Not listed.
CERCLA Hazardous Substance List (40 CFR 302.4)	Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

United States and Puerto Rico: The 'No' is due to the product containing a substance considered a mixture under TSCA which is therefore excluded from the TSCA 8(b) listing. All other ingredients are listed on the inventory.

WARNING: This product contains a chemical known to the State of California to cause cancer.

US. Massachusetts RTK - Substance List

Carbon black (CAS 1333-86-4)

US. New Jersey Worker and Community Right-to-Know Act

Carbon black (CAS 1333-86-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Carbon black (CAS 1333-86-4)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Carbon black (CAS 1333-86-4)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 14-July-2014

Revision date 06-March-2015
Version # 02
Further information HMIS® is a registered trade and service mark of the NPCA.
HMIS® ratings Health: 3
Flammability: 1
Physical hazard: 0

NFPA ratings



References

ACGIH
EPA: AQUIRE database
NLM: Hazardous Substances Data Base
US. IARC Monographs on Occupational Exposures to Chemical Agents
HSDB® - Hazardous Substances Data Bank
IARC Monographs. Overall Evaluation of Carcinogenicity
National Toxicology Program (NTP) Report on Carcinogens
ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available.