



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Material name Hylomar / Hylosil 325
Version # 01
Issue date 12-10-2012
Revision date -
Supersedes date -
CAS # Mixture
MSDS Number 26
Product use Silicone sealant.
Manufacturer information
Manufacturer: Hylomar Ltd.
Address: Hylo House, Cale Lane, New Springs,
Wigan, Greater Manchester,
UK, WN2 1JT
Telephone number: +44(0)1942 617000
E-mail address: info@hylomar.co.uk
Contact person: Technical Department
Emergency telephone: 1.866.519.4752 (USA, Canada, Mexico)
1-760-476-3962
Access code: 333544

2. Hazards Identification

Physical state Liquid.
Appearance Red paste.
Emergency overview DANGER
Causes skin and eye burns. Causes digestive tract burns.
OSHA regulatory status This product is hazardous according to OSHA 29 CFR 1910.1200.
Potential health effects
Routes of exposure Eye contact. Skin contact. Ingestion. Inhalation.
Eyes Causes eye burns. Risk of serious damage to eyes.
Skin Causes skin burns.
Inhalation In high concentrations, vapors may irritate throat and respiratory system and cause coughing.
Ingestion Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract.
Target organs Eyes. Skin Digestive tract. Respiratory system.
Signs and symptoms Extreme irritation of eyes and mucous membranes, including burning and tearing. Itching, redness, burning of skin.
Potential environmental effects Not expected to be harmful to aquatic organisms.

3. Composition / Information on Ingredients

Components	CAS #	Percent
Polyalkyl siloxane	63148-62-9	20 - 40
Quartz	14808-60-7	20 - 40
Silicon dioxide	7631-86-9	2.5 - 10
Triacetoxymethylsilane	17689-77-9	1 - < 5

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First Aid Measures

First aid procedures

Eye contact	Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids wide apart. If irritation persists: Continue flushing during transport to hospital. Take along these instructions.
Skin contact	Immediately take off all contaminated clothing. Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.
Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.
Ingestion	Rinse mouth. Drink a few glasses of water or milk. Get medical attention if any discomfort continues.

Notes to physician

Provide general supportive measures and treat symptomatically.

General advice

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire Fighting Measures

Flammable properties

The product is not flammable.

Extinguishing media

Suitable extinguishing media Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Protection of firefighters

Specific hazards arising from the chemical By heating and fire, toxic vapors/gases may be formed.

Protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

Fire fighting equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Hazardous combustion products

Carbon monoxide and carbon dioxide. Silicon oxides.

6. Accidental Release Measures

Personal precautions

Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this MSDS. In case of spills, beware of slippery floors and surfaces.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not discharge into drains, water courses or onto the ground.

Methods for cleaning up

Scrape up the spilled material. Transfer to a container for disposal. Following product recovery, flush area with water. For waste disposal, see section 13 of the MSDS.

Other information

Clean up in accordance with all applicable regulations.

7. Handling and Storage

Handling

Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Wash thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Storage

Keep away from heat, spark, open flames and other sources of ignition. Keep container tightly closed in a cool, well-ventilated place. Store away from incompatible materials. Incompatible materials: Fluorine. Fluorides.

8. Exposure Controls / Personal Protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m ³	Respirable fraction.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.3 mg/m ³	Total dust.
		0.1 mg/m ³	Respirable.
		2.4 mppcf	Respirable.
		0.8 mg/m ³	
Silicon dioxide (CAS 7631-86-9)	TWA	20 mppcf	

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m ³	Respirable particles.

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m ³	Respirable fraction.
Silicon dioxide (CAS 7631-86-9)	TWA	4 mg/m ³	Total
		1.5 mg/m ³	Respirable.

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m ³	Respirable.
Silicon dioxide (CAS 7631-86-9)	TWA	10 mg/m ³	

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m ³	Respirable dust.
Silicon dioxide (CAS 7631-86-9)	TWA	6 mg/m ³	Respirable dust.

Mexico. Occupational Exposure Limit Values

Components	Type	Value
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m ³

Exposure guidelines	Follow standard monitoring procedures.
Engineering controls	Provide adequate ventilation. Observe occupational exposure limits and minimize the risk of exposure.
Personal protective equipment	
Eye / face protection	Wear approved safety glasses or goggles.
Skin protection	Wear protective gloves. Neoprene or nitrile gloves are recommended. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended by the glove supplier. Normal work clothing (long sleeved shirts and long pants) is recommended.
Respiratory protection	Under normal conditions, respirator is not normally required. In case of inadequate ventilation: It is recommended to use respiratory equipment with combination filter, type A2/P2.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical & Chemical Properties

Appearance	Red paste.
-------------------	------------

Physical state	Liquid.
Form	Liquid. Paste.
Color	Red.
Odor	Vinegar.
Odor threshold	Not available.
pH	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Boiling point	Not available.
Melting point/Freezing point	Not available.
Solubility (water)	Insoluble in water.
Specific gravity	Not available.
Flash point	Not available.
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Auto-ignition temperature	Not available.
Evaporation rate	Not available.
Viscosity	10000 mPa·s

10. Chemical Stability & Reactivity Information

Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Fluorine. Fluorides.
Hazardous decomposition products	Carbon monoxide. Carbon dioxide. Silicon oxides.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

11. Toxicological Information

Toxicological data

Components	Species	Test Results
Polyalkyl siloxane (CAS 63148-62-9)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	>= 5000 mg/kg
<i>Oral</i>		
LD50	Rat	>= 17000 mg/kg
Silicon dioxide (CAS 7631-86-9)		
Acute		
<i>Oral</i>		
LD50	Mouse	> 15000 mg/kg
	Rat	> 22500 mg/kg

Sensitization	No sensitizing effects known.
Acute effects	May cause discomfort if swallowed.
Local effects	Causes skin and eye burns. Causes digestive tract burns.
Carcinogenicity	Not classified. The carcinogenic effect is caused by inhalation of dust particles. Due to the form of the product, exposure to the potentially carcinogenic components is not expected.
ACGIH Carcinogens	
Quartz (CAS 14808-60-7)	A2 Suspected human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Quartz (CAS 14808-60-7)

1 Carcinogenic to humans.

Silicon dioxide (CAS 7631-86-9)

3 Not classifiable as to carcinogenicity to humans.

US NTP Report on Carcinogens: Known carcinogen

Quartz (CAS 14808-60-7)

Known To Be Human Carcinogen.

Mutagenicity	Not classified.
Reproductive effects	Not classified.
Symptoms and target organs	Extreme irritation of eyes and mucous membranes, including burning and tearing. Itching, redness, burning of skin.
Further information	No other specific acute or chronic health impact noted.

12. Ecological Information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Environmental effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Persistence and degradability	Not available.
Bioaccumulation / Accumulation	Not available.
Mobility in environmental media	The product is insoluble in water.

13. Disposal Considerations

Waste codes	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal instructions	Do not discharge into drains, water courses or onto the ground. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

DOT

Not regulated as a hazardous material by DOT.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

TDG

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

CERCLA (Superfund) reportable quantity (lbs) (40 CFR 302.4)

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

Section 302 extremely hazardous substance (40 CFR 355, Appendix A) No

Section 311/312 (40 CFR 370) Yes

Drug Enforcement Administration (DEA) (21 CFR 1308.11-15) Not controlled

Canadian regulations This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

WHMIS status Controlled

WHMIS classification E - Corrosive

WHMIS labeling



Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

State regulations This product does not contain a chemical known to the State of California to cause cancer birth defects or other reproductive harm.

US - California Hazardous Substances (Director's): Listed substance

Silicon dioxide (CAS 7631-86-9) Listed.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Quartz (CAS 14808-60-7) Listed.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Quartz (CAS 14808-60-7) Listed: October 1, 1988 Carcinogenic.

US - New Jersey RTK - Substances: Listed substance

Quartz (CAS 14808-60-7) Listed.

Silicon dioxide (CAS 7631-86-9) Listed.

US. Massachusetts RTK - Substance List

Quartz (CAS 14808-60-7) Listed.

Silicon dioxide (CAS 7631-86-9) Listed.

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Quartz (CAS 14808-60-7) Listed.

Silicon dioxide (CAS 7631-86-9) Listed.

Mexico regulations This safety data sheet was prepared in accordance with the Official Mexican Standard (NOM-018-STPS-2000).

16. Other Information

Recommended restrictions Use in accordance with supplier's recommendations.

Further information

HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings

Health: 3
Flammability: 1
Physical hazard: 0

NFPA ratings

Health: 3
Flammability: 1
Instability: 0

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available.