



# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name or designation of the mixture** Hylomar / Hylosil 325  
**Registration number** -  
**Synonyms** None.  
**SDS number** 26  
**Issue date** 10-December-2012  
**Version number** 01  
**Revision date** -  
**Supersedes date** -

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Silicone sealant.  
**Uses advised against** Use in accordance with supplier's recommendations.

### 1.3. Details of the supplier of the safety data sheet

**Manufacturer:** Hylomar Ltd.  
**Address:** Hylo House, Cale Lane, New Springs,  
Wigan, Greater Manchester,  
UK, WN2 1JT  
**Telephone number:** +44(0)1942 617000  
**E-mail address:** info@hylomar.co.uk  
**Contact person:** Technical Department  
**1.4. Emergency telephone number** 1-760-476-3961

Access code: 333544

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Directive 67/548/EEC or 1999/45/EC as amended

**Classification** Xi;R36

The full text for all R-phrases is displayed in section 16.

#### Classification according to Regulation (EC) No 1272/2008 as amended

##### Health hazards

Skin corrosion/irritation	Category 2	H315 - Causes skin irritation.
Serious eye damage/eye irritation	Category 1	H318 - Causes serious eye damage.

##### Hazard summary

**Physical hazards** Not classified for physical hazards.  
**Health hazards** Irritating to eyes. Occupational exposure to the substance or mixture may cause adverse health effects.  
**Environmental hazards** Not classified for hazards to the environment.  
**Specific hazards** Causes serious eye damage. Causes skin irritation.  
**Main symptoms** Extreme irritation of eyes and mucous membranes, including burning and tearing. Skin irritation. May cause redness and pain.

### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

**Contains:** Triacetoxymethylsilane

## Hazard pictograms



### Signal word

Danger

### Hazard statements

H318 - Causes serious eye damage.  
H315 - Causes skin irritation.

## Precautionary statements

### Prevention

P264 - Wash thoroughly after handling.  
P280 - Wear eye/face protection.

### Response

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTRE or doctor/physician.  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.

### Storage

Store away from incompatible materials.

### Disposal

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

## Supplemental label information

Not applicable.

### 2.3. Other hazards

Not a PBT or vPvB substance or mixture.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Polyalkyl siloxane	20 - < 30	63148-62-9	-	-	
<b>Classification:</b>	<b>DSD:</b> Xi;R36				
	<b>CLP:</b> Eye Irrit. 2;H319				
Quartz	20 - < 30	14808-60-7 238-878-4	-	-	
<b>Classification:</b>	<b>DSD:</b> Xn;R48/20				
	<b>CLP:</b> STOT RE 1;H372				
Triacetoxyethylsilane	1 - < 5	17689-77-9 241-677-4	-	-	
<b>Classification:</b>	<b>DSD:</b> C;R34				
	<b>CLP:</b> Skin Corr. 1B;H314				

CLP: Regulation No. 1272/2008.

DSD: Directive 67/548/EEC.

### Composition comments

The full text for all R- and H-phrases is displayed in section 16. All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## SECTION 4: First aid measures

### General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

#### 4.1. Description of first aid measures

##### Inhalation

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.

##### Skin contact

Immediately take off all contaminated clothing. Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.

##### Eye contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids wide apart. If irritation persists: Continue flushing during transport to hospital. Take along these instructions.

##### Ingestion

Rinse mouth. Drink a few glasses of water or milk. Get medical attention if any discomfort continues.

**4.2. Most important symptoms and effects, both acute and delayed** Skin irritation. May cause redness and pain. Extreme irritation of eyes and mucous membranes, including burning and tearing.

**4.3. Indication of any immediate medical attention and special treatment needed** Provide general supportive measures and treat symptomatically.

## SECTION 5: Firefighting measures

**General fire hazards** The product is not flammable.

### 5.1. Extinguishing media

**Suitable extinguishing media** Water spray, foam, dry powder or carbon dioxide.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

**5.2. Special hazards arising from the substance or mixture** By heating and fire, toxic vapours/gases may be formed.

### 5.3. Advice for firefighters

**Special protective equipment for firefighters** Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

**Special fire fighting procedures** Use standard firefighting procedures and consider the hazards of other involved materials. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Prevent runoff from fire control or dilution from entering streams, sewers or drinking water supply.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this SDS. In case of spills, beware of slippery floors and surfaces.

**For emergency responders** Keep unnecessary personnel away. Wear protective clothing as described in Section 8 of this safety data sheet.

**6.2. Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not discharge into drains, water courses or onto the ground.

**6.3. Methods and material for containment and cleaning up** Scrape up the spilled material. Transfer to a container for disposal. Following product recovery, flush area with water.

**6.4. Reference to other sections** For personal protection, see section 8. For waste disposal, see section 13.

## SECTION 7: Handling and storage

**7.1. Precautions for safe handling** Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Wash thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

**7.2. Conditions for safe storage, including any incompatibilities** Keep away from heat, spark, open flames and other sources of ignition. Keep container tightly closed in a cool, well-ventilated place. Store away from incompatible materials. Incompatible materials: Fluorine. Fluorides.

**7.3. Specific end use(s)** Silicone sealant.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### Austria. MAK List

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	MAK	0,15 mg/m <sup>3</sup>	Respirable dust.
Silicon dioxide (CAS 7631-86-9)	MAK	4 mg/m <sup>3</sup>	Inhalable fraction.

##### Belgium. Exposure Limit Values.

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m <sup>3</sup>	Respirable dust.
Silicon dioxide (CAS 7631-86-9)	TWA	10 mg/m <sup>3</sup>	

**Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,07 mg/m <sup>3</sup>	Respirable fraction.
Silicon dioxide (CAS 7631-86-9)	TWA	10 mg/m <sup>3</sup>	Inhalable fraction.
		0,07 mg/m <sup>3</sup>	Respirable fraction.

**Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended.**

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	TWA	2 mg/m <sup>3</sup>	

**Czech Republic. OELs. Government Decree 361**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m <sup>3</sup>	Respirable dust.
Silicon dioxide (CAS 7631-86-9)	TWA	4 mg/m <sup>3</sup>	Dust.

**Denmark. Exposure Limit Values**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TLV	0,3 mg/m <sup>3</sup>	Total
		0,1 mg/m <sup>3</sup>	Respirable.

**Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m <sup>3</sup>	Respirable dust.
Silicon dioxide (CAS 7631-86-9)	TWA	2 mg/m <sup>3</sup>	Respirable dust.

**Finland. Workplace Exposure Limits**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,2 mg/m <sup>3</sup>	Respirable.
		0,05 mg/m <sup>3</sup>	Respirable.

**France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	VME	0,1 mg/m <sup>3</sup>	Respirable fraction.

**Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace**

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	AGW	4 mg/m <sup>3</sup>	Inhalable fraction.

**Hungary. OELs. Joint Decree on Chemical Safety of Workplaces**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,15 mg/m <sup>3</sup>	Respirable.

**Iceland. OELs. Regulation 154/1999 on occupational exposure limits**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,3 mg/m <sup>3</sup>	Total dust.
		0,1 mg/m <sup>3</sup>	Respirable dust.

**Ireland. Occupational Exposure Limits**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m <sup>3</sup>	Respirable dust.
Silicon dioxide (CAS 7631-86-9)	TWA	6 mg/m <sup>3</sup>	Total inhalable dust.
		2,4 mg/m <sup>3</sup>	Respirable dust.

**Italy. OELs**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,025 mg/m <sup>3</sup>	Respirable fraction.

**Latvia. OELs. Occupational exposure limit values of chemical substances in work environment**

Components	Type	Value
Silicon dioxide (CAS 7631-86-9)	TWA	1 mg/m <sup>3</sup>

**Lithuania. OELs. Limit Values for Chemical Substances, General Requirements (Hygiene Norm HN 23:2007)**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m <sup>3</sup>	Respirable fraction.

**Netherlands. OELs (binding)**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,075 mg/m <sup>3</sup>	Respirable dust.

**Norway. Administrative Norms for Contaminants in the Workplace**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TLV	0,3 mg/m <sup>3</sup>	Total dust.
		0,1 mg/m <sup>3</sup>	Respirable dust.
Silicon dioxide (CAS 7631-86-9)	TLV	1,5 mg/m <sup>3</sup>	Respirable dust.

**Poland. MACs. Minister of Labour and Social Policy Regarding Maximum Allowable Concentrations and Intensities in Working Environment**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	2 mg/m <sup>3</sup>	Total dust.
		0,3 mg/m <sup>3</sup>	Respirable dust.
Silicon dioxide (CAS 7631-86-9)	TWA	2 mg/m <sup>3</sup>	Respirable dust.
		10 mg/m <sup>3</sup>	Total dust.

**Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,025 mg/m <sup>3</sup>	Respirable fraction.

**Slovakia. OELs. Decree of the government of the Slovak Republic concerning protection of health in work with chemical agents**

Components	Type	Value
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m <sup>3</sup>
Silicon dioxide (CAS 7631-86-9)	TWA	0,3 mg/m <sup>3</sup>

**Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,15 mg/m <sup>3</sup>	Respirable fraction.
Silicon dioxide (CAS 7631-86-9)	TWA	4 mg/m <sup>3</sup>	Inhalable fraction.

**Spain. Occupational Exposure Limits**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m <sup>3</sup>	Respirable fraction.

**Sweden. Occupational Exposure Limit Values**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m <sup>3</sup>	Respirable dust.

**Switzerland. SUVA Grenzwerte am Arbeitsplatz**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,15 mg/m <sup>3</sup>	Respirable dust.

**UK. EH40 Workplace Exposure Limits (WELs)**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m <sup>3</sup>	Respirable.

## UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	TWA	6 mg/m <sup>3</sup>	Inhalable dust.
		2,4 mg/m <sup>3</sup>	Respirable dust.

### Biological limit values

**Hungary. Chemical Safety at Workplace Ordinance Joint Decree No. 25/2000 (Annex 2): Permissible limit values of biological exposure (effect) indices**

Components	Value	Determinant	Specimen	Sampling time
Silicon dioxide (CAS 7631-86-9)	25 %	red blood cell or total blood acetylcholinesterase activity (EC. 3.1.1.7.)	Reduction from individual baseline activity in red blood cells	*

\* - For sampling details, please see the source document.

**Recommended monitoring procedures** Follow standard monitoring procedures.

### Derived no-effect level (DNEL)

Components	Type	Route	Value	Form
Silicon dioxide (CAS 7631-86-9)	Workers	Inhalation	4 mg/m <sup>3</sup>	Long term Systemic effects

**Predicted no effect concentrations (PNECs)** Not available.

## 8.2. Exposure controls

**Appropriate engineering controls** Provide adequate ventilation. Observe occupational exposure limits and minimise the risk of exposure.

### Individual protection measures, such as personal protective equipment

**General information** Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection** Wear approved safety glasses or goggles.

#### Skin protection

##### - Hand protection

Wear protective gloves. Nitrile or neoprene gloves are recommended. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended by the glove supplier.

##### - Other

Normal work clothing (long sleeved shirts and long pants) is recommended.

#### Respiratory protection

Under normal conditions, respirator is not normally required. In case of inadequate ventilation: It is recommended to use respiratory equipment with combination filter, type A2/P2.

#### Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

### Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### Environmental exposure controls

Environmental manager must be informed of all major releases.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Red paste.
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid. Paste.
<b>Colour</b>	Red.
<b>Odour</b>	Vinegar.
<b>Odour threshold</b>	Not available.
<b>pH</b>	Not applicable.
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	Not available.

<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Vapour pressure</b>	Not available.
<b>Vapour density</b>	Not available.
<b>Relative density</b>	1,16 (25 °C) ( Water = 1)
<b>Solubility(ies)</b>	Insoluble in water.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	10000 mPa·s
<b>Explosive properties</b>	Not available.
<b>Oxidizing properties</b>	Not available.
<b>9.2. Other information</b>	No relevant additional information available.

## SECTION 10: Stability and reactivity

<b>10.1. Reactivity</b>	The product is stable and non reactive under normal conditions of use, storage and transport.
<b>10.2. Chemical stability</b>	Material is stable under normal conditions.
<b>10.3. Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>10.4. Conditions to avoid</b>	Contact with incompatible materials.
<b>10.5. Incompatible materials</b>	Fluorine. Fluorides.
<b>10.6. Hazardous decomposition products</b>	Carbon monoxide. Carbon dioxide. Silicon oxides.

## SECTION 11: Toxicological information

<b>General information</b>	Occupational exposure to the substance or mixture may cause adverse effects.
<b>Information on likely routes of exposure</b>	
<b>Ingestion</b>	Ingestion may cause irritation and malaise.
<b>Inhalation</b>	In high concentrations, vapours may irritate throat and respiratory system and cause coughing.
<b>Skin contact</b>	Causes skin irritation.
<b>Eye contact</b>	Causes serious eye damage.
<b>Symptoms</b>	Extreme irritation of eyes and mucous membranes, including burning and tearing. Skin irritation. May cause redness and pain.

### 11.1. Information on toxicological effects

**Acute toxicity** May cause discomfort if swallowed.

Components	Species	Test results
Polyalkyl siloxane (CAS 63148-62-9)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	>= 5000 mg/kg
<i>Oral</i>		
LD50	Rat	>= 17000 mg/kg

<b>Skin corrosion/irritation</b>	Causes skin irritation.
<b>Serious eye damage/irritation</b>	Causes serious eye damage.
<b>Respiratory sensitisation</b>	Not classified.
<b>Skin sensitisation</b>	Not classified.
<b>Germ cell mutagenicity</b>	Not classified.
<b>Carcinogenicity</b>	Not classified. The carcinogenic effect is caused by inhalation of dust particles. Due to the form of the product, exposure to the potentially carcinogenic components is not expected.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Quartz (CAS 14808-60-7) 1 Carcinogenic to humans.

<b>Reproductive toxicity</b>	Not classified.
<b>Specific target organ toxicity - single exposure</b>	Not classified.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not classified.
<b>Mixture versus substance information</b>	Not applicable.
<b>Other information</b>	No other specific acute or chronic health impact noted.

## SECTION 12: Ecological information

<b>12.1. Toxicity</b>	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
<b>12.2. Persistence and degradability</b>	Not available.
<b>12.3. Bioaccumulative potential</b>	Not available.
<b>Bioconcentration factor (BCF)</b>	Not available.
<b>12.4. Mobility in soil</b>	Not available.
<b>Mobility in general</b>	The product is insoluble in water.
<b>12.5. Results of PBT and vPvB assessment</b>	Not a PBT or vPvB substance or mixture.
<b>12.6. Other adverse effects</b>	None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Residual waste</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>EU waste code</b>	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Disposal methods/information</b>	Do not discharge into drains, water courses or onto the ground. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

## SECTION 14: Transport information

### ADR

The product is not covered by international regulation on the transport of dangerous goods.

### RID

The product is not covered by international regulation on the transport of dangerous goods.

### ADN

The product is not covered by international regulation on the transport of dangerous goods.

### IATA

The product is not covered by international regulation on the transport of dangerous goods.

### IMDG

The product is not covered by international regulation on the transport of dangerous goods.

<b>14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	This substance/mixture is not intended to be transported in bulk.
---	---

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I**

Not listed.

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II**

Not listed.

**Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended**

Not listed.



**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended**  
Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended**  
Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended**  
Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended**  
Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry**  
Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA**  
Not listed.

#### **Authorisations**

**Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorisation**  
Not listed.

#### **Restrictions on use**

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**  
Not listed.

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work**

Not regulated.

**Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding**

Not regulated.

#### **Other EU regulations**

**Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances**  
Not regulated.

**Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work**  
Not listed.

**Directive 94/33/EC on the protection of young people at work**  
Not listed.

#### **Other regulations**

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

#### **National regulations**

Follow national regulation for work with chemical agents.

#### **15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out.

### **SECTION 16: Other information**

#### **List of abbreviations**

CLP: Regulation No. 1272/2008.  
DNEL: Derived No-Effect Level.  
PBT: Persistent, bioaccumulative and toxic.  
PNEC: Predicted No-Effect Concentration.  
vPvB: Very Persistent and very Bioaccumulative.

#### **References**

HSDB® - Hazardous Substances Data Bank  
Registry of Toxic Effects of Chemical Substances (RTECS)  
ESIS (European chemical Substances Information System)

#### **Information on evaluation method leading to the classification of mixture**

The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. For details, refer to Sections 9, 11 and 12.

#### **Full text of any statements or R-phrases and H-statements under Sections 2 to 15**

R34 Causes burns.  
R36 Irritating to eyes.  
R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.  
H314 - Causes severe skin burns and eye damage.  
H319 - Causes serious eye irritation.  
H372 - Causes damage to organs through prolonged or repeated exposure.

#### **Training information**

Follow training instructions when handling this material.

#### **Disclaimer**

The information in the sheet was written based on the best knowledge and experience currently available.