HYLOMAR*

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

Hylomar / Hylosil 310

of the mixture

Registration number

Synonyms None. SDS number 25

Issue date 10-December-2012

Version number 02

Revision date 04-March-2016 Supersedes date 10-December-2012

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Silicone sealant.

Uses advised againstUse in accordance with supplier's recommendations.

1.3. Details of the supplier of the safety data sheet

Manufacturer: Hylomar Ltd.

Address: Hylo House, Cale Lane, New Springs,

Wigan, Greater Manchester,

UK, WN2 1JT

Telephone number: +44(0)1942 617000

E-mail address: info@hylomar.co.uk

Contact person: Technical Department

1.4. Emergency telephone +1-760-476-3961 (US)

number

Access code: 333544

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation.
Serious eye damage/eye irritation Category 1 H318 - Causes serious eye

damage.

Hazard summary Causes skin irritation. Causes serious eye damage.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Triacetoxyethylsilane

Hazard pictograms

Signal word Danger

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements

Prevention

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Hylomar / Hylosil 310 SDS EU

909138 Version #: 02 Revision date: 04-March-2016 Issue date: 10-December-2012

Response

IF ON SKIN: Wash with plenty of water. P302 + P352

If skin irritation occurs: Get medical advice/attention. P332 + P313 Take off contaminated clothing and wash before reuse. P362

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing

Immediately call a POISON CENTRE or doctor/physician. P310

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Supplemental label information None.

2.3. Other hazards Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Polyalkyl siloxane	1 - 5	63148-62-9	-	-	
Classification:	Eye Irrit. 2;H319				
Triacetoxyethylsilane	1 - < 5	17689-77-9 241-677-4	-	-	
Classification:	Skin Corr. 1B;H314				

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

4.1. Description of first aid measures

Inhalation

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.

Skin contact

Remove contaminated clothes and rinse skin thoroughly with water. Get medical attention if

irritation develops and persists. Wash contaminated clothing before reuse.

Eye contact

Flush thoroughly with water for at least 15 minutes. Get immediate medical assistance. If medical assistance is not immediately available, flush an additional 15 minutes. Make sure to remove any

contact lenses from the eyes before rinsing.

Ingestion

Immediately rinse mouth and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get immediate medical attention.

4.2. Most important symptoms and effects, both acute and

delayed

Extreme irritation of eyes and mucous membranes, including burning and tearing. Skin irritation. May cause redness and pain.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards The product is not flammable.

5.1. Extinguishing media

Suitable extinguishing

Water spray, foam, dry powder or carbon dioxide.

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture By heating and fire, toxic vapours/gases may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

Hylomar / Hylosil 310 SDS EU Special fire fighting procedures

Use standard firefighting procedures and consider the hazards of other involved materials. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Prevent runoff from fire control or dilution from entering streams, sewers or drinking water supply.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this SDS. In case of spills, beware of slippery floors and surfaces. Avoid inhalation of vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Wear protective clothing as described in Section 8 of this

safety data sheet.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not discharge into drains, water courses or

onto the ground.

6.3. Methods and material for containment and cleaning up Scrape up the spilled material. Transfer to a container for disposal. Following product recovery,

flush area with water.

6.4. Reference to other

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Avoid breathing vapour. Wear protective clothing as described in Section 8 of this safety data sheet. Wash thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, spark, open flames and other sources of ignition. Keep container tightly closed in a cool, well-ventilated place. Store away from incompatible materials. Incompatible

materials: Fluorine. Fluorides.

Silicone sealant. 7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List

Components	Туре	Value	Form
Silicon dioxide (CAS	MAK	4 mg/m3	Inhalable fraction.
7631-86-9)			

Belgium. Exposure Limit Values.

Components	Туре	Value	
Silicon dioxide (CAS	TWA	10 mg/m3	
7631-86-9)			

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Components	Туре	Value	Form
Silicon dioxide (CAS 7631-86-9)	TWA	10 mg/m3	Inhalable fraction.
,		0,07 mg/m3	Respirable fraction.

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09

Components	Туре	Value	Form	
Silicon dioxide (CAS 7631-86-9)	MAC	6 mg/m3	Total dust.	
. 55 . 55 5)		2.4 mg/m3	Respirable dust	

Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended.

Components	Туре	Value
Silicon dioxide (CAS 7631-86-9)	TWA	2 mg/m3

Czech Republic. OELs. Government Decree 361

Components	Туре	Value	Form	
Silicon dioxide (CAS	TWA	4 mg/m3	Dust.	
7631-86-9)				

Hylomar / Hylosil 310 SDS EU

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)

Type

Components

Form

Value

Components		Value	
Silicon dioxide (CAS 7631-86-9)	TWA	2 mg/m3	Respirable dust.
Finland. Workplace Exposu	re Limits		
Components	Туре	Value	
Silicon dioxide (CAS 7631-86-9)	TWA	5 mg/m3	
Germany. TRGS 900, Limit V	Values in the Ambient Air at the Wor	kplace	
Components	Туре	Value	Form
Silicon dioxide (CAS 7631-86-9)	AGW	4 mg/m3	Inhalable fraction.
Ireland. Occupational Expos	sure Limits		
Components	Туре	Value	Form
Silicon dioxide (CAS 7631-86-9)	TWA	6 mg/m3	Total inhalable dust.
		2,4 mg/m3	Respirable dust.
Latvia. OELs. Occupational	exposure limit values of chemical s	ubstances in work environme	ent
Components	Туре	Value	
Silicon dioxide (CAS 7631-86-9)	TWA	1 mg/m3	
Norway. Administrative Nor	rms for Contaminants in the Workpla	ace	
Components	Туре	Value	Form
Silicon dioxide (CAS	TLV	1,5 mg/m3	Respirable dust.
	regarding maximum permissible cor	ncentrations and intensities o	f harmful factors in the w
Poland. MACs. Regulation renvironment, Annex 1 Components	Туре	Value	Form
Poland. MACs. Regulation renvironment, Annex 1 Components Silicon dioxide (CAS			
Poland. MACs. Regulation renvironment, Annex 1 Components	Туре	Value	Form
Poland. MACs. Regulation renvironment, Annex 1 Components Silicon dioxide (CAS 7631-86-9)	Туре	Value 2 mg/m3 10 mg/m3	Form Respirable fraction. Inhalable fraction.
Poland. MACs. Regulation renvironment, Annex 1 Components Silicon dioxide (CAS 7631-86-9) Slovakia. OELs. Decree of t	Type TWA	Value 2 mg/m3 10 mg/m3	Form Respirable fraction. Inhalable fraction.
Poland. MACs. Regulation renvironment, Annex 1 Components Silicon dioxide (CAS 7631-86-9) Slovakia. OELs. Decree of tragents Components Silicon dioxide (CAS	Type TWA he government of the Slovak Repub	Value 2 mg/m3 10 mg/m3 lic concerning protection of h	Form Respirable fraction. Inhalable fraction.
Poland. MACs. Regulation renvironment, Annex 1 Components Silicon dioxide (CAS 7631-86-9) Slovakia. OELs. Decree of tagents Components Silicon dioxide (CAS 7631-86-9) Slovenia. OELs. Regulation	Type TWA he government of the Slovak Repub Type TWA s concerning protection of workers	Value 2 mg/m3 10 mg/m3 lic concerning protection of h Value 0,3 mg/m3	Form Respirable fraction. Inhalable fraction. nealth in work with chemi
Poland. MACs. Regulation renvironment, Annex 1 Components Silicon dioxide (CAS 7631-86-9) Slovakia. OELs. Decree of tagents Components Silicon dioxide (CAS 7631-86-9) Slovenia. OELs. Regulation (Official Gazette of the Repu	Type TWA he government of the Slovak Repub Type TWA s concerning protection of workers ublic of Slovenia)	Value 2 mg/m3 10 mg/m3 lic concerning protection of h Value 0,3 mg/m3 against risks due to exposure	Form Respirable fraction. Inhalable fraction. nealth in work with chemi
Poland. MACs. Regulation renvironment, Annex 1 Components Silicon dioxide (CAS 7631-86-9) Slovakia. OELs. Decree of tagents Components Silicon dioxide (CAS 7631-86-9) Slovenia. OELs. Regulation	Type TWA he government of the Slovak Repub Type TWA s concerning protection of workers	Value 2 mg/m3 10 mg/m3 lic concerning protection of h Value 0,3 mg/m3	Form Respirable fraction. Inhalable fraction. nealth in work with chemi
Poland. MACs. Regulation renvironment, Annex 1 Components Silicon dioxide (CAS 7631-86-9) Slovakia. OELs. Decree of tragents Components Silicon dioxide (CAS 7631-86-9) Slovenia. OELs. Regulation (Official Gazette of the Repulation Components	Type TWA he government of the Slovak Repub Type TWA s concerning protection of workers ublic of Slovenia) Type	Value 2 mg/m3 10 mg/m3 lic concerning protection of h Value 0,3 mg/m3 against risks due to exposure	Form Respirable fraction. Inhalable fraction. nealth in work with chemicals while work Form
Poland. MACs. Regulation renvironment, Annex 1 Components Silicon dioxide (CAS 7631-86-9) Slovakia. OELs. Decree of tagents Components Silicon dioxide (CAS 7631-86-9) Slovenia. OELs. Regulation (Official Gazette of the Repulation dioxide (CAS 7631-86-9)	Type TWA he government of the Slovak Repub Type TWA s concerning protection of workers ublic of Slovenia) Type TWA	Value 2 mg/m3 10 mg/m3 lic concerning protection of h Value 0,3 mg/m3 against risks due to exposure	Form Respirable fraction. Inhalable fraction. nealth in work with chemicals while work Form
Poland. MACs. Regulation renvironment, Annex 1 Components Silicon dioxide (CAS 7631-86-9) Slovakia. OELs. Decree of tragents Components Silicon dioxide (CAS 7631-86-9) Slovenia. OELs. Regulation (Official Gazette of the Repulation Components Silicon dioxide (CAS 7631-86-9)	Type TWA he government of the Slovak Repub Type TWA s concerning protection of workers ublic of Slovenia) Type TWA	Value 2 mg/m3 10 mg/m3 lic concerning protection of h Value 0,3 mg/m3 against risks due to exposure	Form Respirable fraction. Inhalable fraction. nealth in work with chemicals while work Form
Poland. MACs. Regulation renvironment, Annex 1 Components Silicon dioxide (CAS 7631-86-9) Slovakia. OELs. Decree of tragents Components Silicon dioxide (CAS 7631-86-9) Slovenia. OELs. Regulation (Official Gazette of the Repulation (Official Gazette of the Repulation dioxide (CAS 7631-86-9) UK. EH40 Workplace Expos	Type TWA Type Type TWA S concerning protection of workers ublic of Slovenia) Type TWA Type TWA Type TWA	Value 2 mg/m3 10 mg/m3 lic concerning protection of h Value 0,3 mg/m3 against risks due to exposure Value 4 mg/m3 Value 6 mg/m3	Form Respirable fraction. Inhalable fraction. nealth in work with chemicals while work Form Inhalable fraction. Form Inhalable dust.
Poland. MACs. Regulation renvironment, Annex 1 Components Silicon dioxide (CAS 7631-86-9) Slovakia. OELs. Decree of tragents Components Silicon dioxide (CAS 7631-86-9) Slovenia. OELs. Regulation (Official Gazette of the Repulation (Official Gazette of the Repulation dioxide (CAS 7631-86-9) UK. EH40 Workplace Expose Components Silicon dioxide (CAS 7631-86-9)	Type TWA he government of the Slovak Repub Type TWA s concerning protection of workers ublic of Slovenia) Type TWA sure Limits (WELs) Type TWA	Value 2 mg/m3 10 mg/m3 lic concerning protection of h Value 0,3 mg/m3 against risks due to exposure Value 4 mg/m3 Value 6 mg/m3 2,4 mg/m3	Form Respirable fraction. Inhalable fraction. nealth in work with chemicals while work Form Inhalable fraction. Form
Poland. MACs. Regulation renvironment, Annex 1 Components Silicon dioxide (CAS 7631-86-9) Slovakia. OELs. Decree of tagents Components Silicon dioxide (CAS 7631-86-9) Slovenia. OELs. Regulation (Official Gazette of the Reputation of the Rep	Type TWA Type Type TWA Type TWA s concerning protection of workers ublic of Slovenia) Type TWA Type TWA Type TWA Sure Limits (WELs) Type TWA No biological exposure limits noted f	Value 2 mg/m3 10 mg/m3 lic concerning protection of h Value 0,3 mg/m3 against risks due to exposure Value 4 mg/m3 Value 6 mg/m3 2,4 mg/m3 for the ingredient(s).	Form Respirable fraction. Inhalable fraction. nealth in work with chemicals while work Form Inhalable fraction. Form Inhalable dust.
Poland. MACs. Regulation renvironment, Annex 1 Components Silicon dioxide (CAS 7631-86-9) Slovakia. OELs. Decree of tagents Components Silicon dioxide (CAS 7631-86-9) Slovenia. OELs. Regulation (Official Gazette of the Reputation (Components) Silicon dioxide (CAS 7631-86-9) UK. EH40 Workplace Expose Components Silicon dioxide (CAS 7631-86-9) UK. EH40 Workplace Expose Components Silicon dioxide (CAS 7631-86-9) ogical limit values ommended monitoring cedures	Type TWA he government of the Slovak Repub Type TWA s concerning protection of workers ublic of Slovenia) Type TWA Sure Limits (WELs) Type TWA No biological exposure limits noted for Follow standard monitoring procedures.	Value 2 mg/m3 10 mg/m3 lic concerning protection of h Value 0,3 mg/m3 against risks due to exposure Value 4 mg/m3 Value 6 mg/m3 2,4 mg/m3 for the ingredient(s).	Form Respirable fraction. Inhalable fraction. nealth in work with chemicals while work Form Inhalable fraction. Form Inhalable dust.
Poland. MACs. Regulation renvironment, Annex 1 Components Silicon dioxide (CAS 7631-86-9) Slovakia. OELs. Decree of tagents Components Silicon dioxide (CAS 7631-86-9) Slovenia. OELs. Regulation (Official Gazette of the Reputation of the Rep	Type TWA Type Type TWA Type TWA s concerning protection of workers ublic of Slovenia) Type TWA Type TWA Type TWA Sure Limits (WELs) Type TWA No biological exposure limits noted f	Value 2 mg/m3 10 mg/m3 lic concerning protection of h Value 0,3 mg/m3 against risks due to exposure Value 4 mg/m3 Value 6 mg/m3 2,4 mg/m3 for the ingredient(s).	Form Respirable fraction. Inhalable fraction. nealth in work with chemicals while work Form Inhalable fraction. Form Inhalable dust.
Poland. MACs. Regulation renvironment, Annex 1 Components Silicon dioxide (CAS 7631-86-9) Slovakia. OELs. Decree of tagents Components Silicon dioxide (CAS 7631-86-9) Slovenia. OELs. Regulation (Official Gazette of the Reputation (Components) Silicon dioxide (CAS 7631-86-9) UK. EH40 Workplace Expose Components Silicon dioxide (CAS 7631-86-9) UK. EH40 Workplace Expose Components Silicon dioxide (CAS 7631-86-9) ogical limit values ommended monitoring cedures	Type TWA he government of the Slovak Repub Type TWA s concerning protection of workers ublic of Slovenia) Type TWA Sure Limits (WELs) Type TWA No biological exposure limits noted for Follow standard monitoring procedures.	Value 2 mg/m3 10 mg/m3 lic concerning protection of h Value 0,3 mg/m3 against risks due to exposure Value 4 mg/m3 Value 6 mg/m3 2,4 mg/m3 for the ingredient(s).	Form Respirable fraction. Inhalable fraction. nealth in work with chemicals while work Form Inhalable fraction. Form Inhalable dust.

Hylomar / Hylosil 310 SDS EU

Appropriate engineering

controls

Provide adequate ventilation. Observe occupational exposure limits and minimise the risk of exposure. Eye wash facilities and emergency shower must be available when handling this

product.

Individual protection measures, such as personal protective equipment

Personal protective equipment should be chosen according to the CEN standards and in **General information**

discussion with the supplier of the personal protective equipment.

Eye/face protection

Skin protection

Wear approved safety glasses or goggles.

Wear protective gloves. Nitrile or Neoprene gloves are recommended. Be aware that the liquid - Hand protection

may penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended by

the glove supplier.

Normal work clothing (long sleeved shirts and long pants) is recommended. - Other

Under normal conditions, respirator is not normally required. In case of inadequate ventilation: It is Respiratory protection

recommended to use respiratory equipment with combination filter, type A2/P2.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Red paste. **Physical state** Liquid.

Form Paste. Thixotropic gel.

Colour Red. Vinegar. Odour **Odour threshold** Not available. Not available. Melting point/freezing point Not available. Not available. Initial boiling point and boiling

range

Not available Flash point Not available. **Evaporation rate** Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Flammability limit - upper

Not available.

Not available.

(%)

Vapour pressure Not available. Not available. Vapour density

Relative density 1,29 (25 °C) (Water = 1)

Solubility(ies) Insoluble in water. **Partition coefficient** No data available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. Viscosity **Explosive properties** Not explosive. Oxidising properties Not oxidising.

No relevant additional information available. 9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

Hylomar / Hylosil 310 SDS EU

909138 Version #: 02 Revision date: 04-March-2016 Issue date: 10-December-2012

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Contact with incompatible materials.

10.5. Incompatible materials

Fluorine. Fluorides.

10.6. Hazardous

Carbon monoxide, Carbon dioxide, Silicon oxides,

decomposition products

SECTION 11: Toxicological information

Occupational exposure to the substance or mixture may cause adverse effects. **General information**

Information on likely routes of exposure

Inhalation In high concentrations, vapours may irritate throat and respiratory system and cause coughing.

Causes skin irritation. Skin contact

Eve contact Causes serious eye damage. Ingestion May cause digestive tract irritation.

Extreme irritation of eyes and mucous membranes, including burning and tearing. Skin irritation. **Symptoms**

May cause redness and pain.

11.1. Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Components **Test results** Species

Polyalkyl siloxane (CAS 63148-62-9)

Acute

Dermal

LD50 Rabbit > 5000 mg/kg

Oral

LD50 Rat > 17000 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory sensitisation Due to lack of data the classification is not possible. Skin sensitisation Due to lack of data the classification is not possible. Due to lack of data the classification is not possible. Germ cell mutagenicity Carcinogenicity Due to lack of data the classification is not possible. Due to lack of data the classification is not possible. Reproductive toxicity Due to lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure

Due to lack of data the classification is not possible.

Due to lack of data the classification is not possible.

Aspiration hazard

Not applicable.

information

Mixture versus substance

Other information No other specific acute or chronic health impact noted.

SECTION 12: Ecological information

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative potential No data available. No data available. Partition coefficient

n-octanol/water (log Kow)

Not available. **Bioconcentration factor (BCF)** No data available. 12.4. Mobility in soil

The product is insoluble in water. Mobility in general

12.5. Results of PBT

Not a PBT or vPvB substance or mixture.

and vPvB assessment

12.6. Other adverse effects None known

Hylomar / Hylosil 310 SDS EU

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Do not discharge into drains, water courses or onto the ground. Collect and reclaim or dispose in

sealed containers at licensed waste disposal site. Dispose of contents/container in accordance

with local/regional/national/international regulations.

SECTION 14: Transport information

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

ADN

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

14.7. Transport in bulk Not applicable.

according to Annex II of Marpol

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

Not listed.

Hylomar / Hylosil 310 SDS EU

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances

Not listed.

Directive 94/33/EC on the protection of young people at work

Not listed.

Other regulations This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006 as

amended. The product is classified and labelled in accordance with Regulation (EC) 1272/2008

(CLP Regulation) as amended and respective national laws implementing EC directives.

National regulations 15.2. Chemical safety Follow national regulation for work with chemical agents. No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other informationList of abbreviations

PBT: Persistent, bioaccumulative and toxic. PNEC: Predicted No-Effect Concentration. vPvB: Very Persistent and very Bioaccumulative.

LD50: Lethal Dose 50%.

References HSDB® - Hazardous Substances Data Bank

Registry of Toxic Effects of Chemical Substances (RTECS) ESIS (European chemical Substances Information System)

Information on evaluation method leading to the classification of mixture

The mixture is classified based on test data for physical hazards. The classification for health and

environmental hazards is derived by a combination of calculation methods and test data, if

available. For details, refer to Sections 9, 11 and 12.

Full text of any H-statements not written out in full under Sections 2 to 15

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

Training information Follow training instructions when handling this material.

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available.

Hylomar / Hylosil 310 SDS EU

8/8

909138 Version #: 02 Revision date: 04-March-2016 Issue date: 10-December-2012