SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

Hylosil 654

of the mixture

Registration number

Synonyms None. 38 SDS number

17-October-2013 Issue date

Version number 02

21-April-2017 **Revision date** 17-October-2013 Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Automotive Oxime curing RTV silicone sealant. Use in accordance with supplier's recommendations. Uses advised against

1.3. Details of the supplier of the safety data sheet

Manufacturer: Hylomar Ltd.

Address: Hylo House, Cale Lane, New Springs,

Wigan, Greater Manchester,

UK, WN2 1JT

+44(0)1942 617000 Telephone number: E-mail address: info@hylomar.co.uk Contact person: **Technical Department** +1-760-476-3961 (US) 1.4. Emergency telephone

number

Access code: 333544

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary Occupational exposure to the substance or mixture may cause adverse health effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

None. **Hazard pictograms** Signal word None

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Dispose of waste and residues in accordance with local authority requirements. Disposal

Supplemental label information

Not a PBT or vPvB substance or mixture. 2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name CAS-No. / EC No. REACH Registration No. INDEX No. **Notes**

Kaolin, calcined 92704-41-1

296-473-8

Classification: **STOT RE 2:H373**

Hylosil 654 SDS UK 1/6

916759 Version #: 02 Revision date: 21-April-2017 Issue date: 17-October-2013

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. Components not listed are either non-hazardous or are below reportable limits.

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show

this safety data sheet to the doctor in attendance.

4.1. Description of first aid measures

Inhalation

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact

Immediately flush eye(s) with plenty of water. Remove contact lenses, if present and easy to do.

Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Drink a few glasses of water or milk. Get medical attention if any discomfort

continues.

4.2. Most important symptoms and effects, both acute and

delayed

Direct contact with eyes may cause temporary irritation.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards

The product is not flammable.

5.1. Extinguishing media

Suitable extinguishing

Water spray, foam, dry powder or carbon dioxide.

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture By heating and fire, toxic vapours/gases may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

Special fire fighting

procedures

Use standard firefighting procedures and consider the hazards of other involved materials. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Prevent runoff from fire control or dilution from entering streams, sewers or drinking water supply.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Avoid inhalation of vapours and contact with skin and eyes.

For emergency responders

Keep unnecessary personnel away. Wear protective clothing as described in Section 8 of this

safety data sheet.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not discharge into drains, water courses or

onto the ground.

6.3. Methods and material for containment and cleaning up Scrape up the spilled material. Transfer to a container for disposal. Following product recovery,

flush area with water.

6.4. Reference to other

sections

For personal protection, see Section 8 of the SDS. For waste disposal, see Section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Wear protective clothing as described in Section 8 of this safety data sheet. Wash thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices. Avoid inhalation of vapours and contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials.

7.3. Specific end use(s) Automotive Oxime curing RTV silicone sealant.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Hylosil 654 SDS UK

UK. EH40 Workplace Exposure Limits (WELs)

Components	Туре	Value	Form
Silica, amorphous, fumed (CAS 112945-52-5)	TWA	6 mg/m3	Inhalable dust.
		2.4 mg/m3	Respirable dust.
ological limit values	No biological exposure limits noted for the ingredient(s).		
commended monitoring	Follow standard monitoring procedures.		

Derived no effect levels

(DNELs)

procedures

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering

Use process enclosures, local exhaust ventilation, or other engineering controls to control sources

of dust and fumes. controls

Individual protection measures, such as personal protective equipment

Personal protective equipment should be chosen according to the CEN standards and in **General information**

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear approved safety glasses or goggles.

Skin protection

- Hand protection Wear protective gloves. Suitable gloves can be recommended by the glove supplier. Nitrile gloves

are recommended.

- Other Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection Under normal conditions, respirator is not normally required. In case of inadequate ventilation: It is

recommended to use respiratory equipment with combination filter, type A2/P2.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Liquid. Physical state Paste. Form Colour Anthracite. Odour Oxime odor. Not available. **Odour threshold** Not available. Melting point/freezing point Not relevant. Initial boiling point and boiling Not relevant.

range ~200°C Flash point Not available. **Evaporation rate** Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

(%)

Not relevant. Vapour pressure Not available. Vapour density

Relative density 1.15 @ 20°C (68°F) (Water = 1)

Solubility(ies) Insoluble in water.

Hylosil 654 SDS UK 3/6

Partition coefficient (n-octanol/water)

No data available.

Auto-ignition temperature 440 °C (824 °F)

Decomposition temperature Not available.

Viscosity Not relevant.

Explosive properties Not available.

Oxidising properties Not available.

9.2. Other information

VOC 0 %

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoidContact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous Carbon monoxide

decomposition products

Carbon monoxide. Carbon dioxide. Silicon oxides. Nitrogen oxides. Formaldehyde.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactProlonged exposure may cause skin irritation.Eye contactMay cause eye irritation on direct contact.IngestionIngestion may cause irritation and malaise.

Symptoms Direct contact with eyes may cause temporary irritation.

11.1. Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Skin corrosion/irritation Prolonged exposure may cause skin irritation.

Serious eye damage/eye May cause eye irritation on direct contact.

irritation

Respiratory sensitisationBased on available data, the classification criteria are not met.Skin sensitisationBased on available data, the classification criteria are not met.Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicityBased on available data, the classification criteria are not met.Reproductive toxicityBased on available data, the classification criteria are not met.

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Due to the physical form of the product, the ingredients are not expected to present a hazard by

inhalation

Aspiration hazardDue to the physical form of the product it is not an aspiration hazard.

Mixture versus substance

information

The product is a mixture.

Other information No other specific acute or chronic health impact noted.

SECTION 12: Ecological information

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and

degradability

No data available.

12.3. Bioaccumulative potential The product is not expected to bioaccumulate.

Partition coefficient

n-octanol/water (log Kow)

No data available.

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

Hylosil 654 SDS UK

Mobility in general The product is insoluble in water.

12.5. Results of PBT

and vPvB assessment Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

EU waste code 08 04 10

The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Do not discharge into drains, water courses or onto the ground. Collect and reclaim or dispose in Disposal methods/information

sealed containers at licensed waste disposal site. Dispose of contents/container in accordance

with local/regional/national/international regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk Not applicable. according to Annex II of Marpol

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Hylosil 654 SDS UK Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006 as

amended. This mixture does not meet the criteria for classification according to Regulation (EC)

1272/2008 as amended.

National regulations 15.2. Chemical safety Follow national regulation for work with chemical agents. No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations

DNEL: Derived No-Effect Level.

PBT: Persistent, bioaccumulative and toxic.
PNEC: Predicted No-Effect Concentration.
vPvB: Very Persistent and very Bioaccumulative.

References HSDB® - Hazardous Substances Data Bank

Registry of Toxic Effects of Chemical Substances (RTECS) ESIS (European chemical Substances Information System)

Information on evaluation method leading to the classification of mixture

The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if

available. For details, refer to Sections 9, 11 and 12.

Full text of any H-statements not written out in full under

H373 May cause damage to organs through prolonged or repeated exposure by inhalation.

Sections 2 to 15

Training information Follow training instructions when handling this material.

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available.

Hylosil 654 SDS UK

916759 Version #: 02 Revision date: 21-April-2017 Issue date: 17-October-2013